



ステンレス鋼板

SUS304

2 B 仕上げ (冷間圧延ステンレス鋼板)

YOSHU 2018.08

板厚 印は切断可能品	寸法					
	1m×2m 1000×2000	1m×4m 1000×4000	4f×8f 1219×2438	5f×10f 1524×3048	5f×4m 1524×4000	2m×4m 2000×4000
0.3	4.76					
0.4	6.34					
0.5	7.93		11.8			
0.6	9.52		14.1			
0.7	11.1					
0.8	12.7		18.9	29.5		
1.0	15.9		23.6	36.8		
1.2	19.0		28.3	44.2		
1.5	23.8		35.4	55.3	72.5	
2.0	31.7	63.4	47.1	73.7	96.7	
2.5	39.6		58.9	92.1	121.0	
3.0	47.6	95.2	70.7	111.0	145.0	
3.5	55.5	111.0				

(mm)

(kg/枚)



ステンレス鋼板

SUS304

2 B 仕上げ (冷間圧延ステンレス鋼板)

YOSHU 2007.08

板厚 印は切断可能品	寸法			
	1m × 2m 1000 × 2000	4f × 8f 1219 × 2438	5f × 10f 1524 × 3048	5f × 4m 1524 × 4000
4.0	63.4	94.3	147.0	193.0
5.0	79.3	118.0	184.0	242.0
6.0	95.2	141.0	221.0	290.0

(mm)

(kg/枚)



ステンレス鋼板

SUS304

NO1仕上げ(熱間圧延ステンレス鋼板)

YOSHU 2016.10

板厚 印は切断可 能品	寸法						
	1m×2m 1000×2000	1m×4m 1000×4000	4f×8f 1219×2438	4f×4m 1219×4000	5f×10f 1524×3048	5f×4m 1524×4000	2m×4m 2000×4000
3.0	47.6		70.7	116.0	111.0	145.0	
3.5	55.5						
4.0	63.4		94.3		147.0	193.0	254.0
4.5	71.4		106.0	174.0	166.0	218.0	
5.0	79.3		118.0		184.0	242.0	317.0
6.0	95.2		141.0		221.0	290.0	381.0
7.0	111.0		165.0		258.0	338.0	
8.0	127.0		189.0		295.0	387.0	508.0
9.0	143.0		212.0		332.0	435.0	571.0
10.0	159.0		236.0		368.0	483.0	634.0
12.0	190.0		283.0		442.0	580.0	761.0
14.0	222.0				516.0	677.0	888.0
15.0	238.0				553.0	725.0	952.0
16.0	254.0		377.0		589.0	774.0	1015.0
18.0	285.0				663.0	870.0	1142.0

(mm)

(kg/枚)



ステンレス鋼板

SUS304

NO1仕上げ(熱間圧延ステンレス鋼板)

YOSHU 2016.10

板厚 印は切断可能品	寸法					
	1m×2m 1000×2000	1m×4m 1000×4000	4f×8f 1219×2438	5f×10f 1524×3048	5f×4m 1524×4000	2m×4m 2000×4000
19.0	301.0		448.0	700.0	919.0	1206.0
20.0	317.0			737.0	967.0	1269.0
22.0	349.0			811.0	1064.0	1396.0
25.0	396.0			921.0		1586.0
28.0				1031.0		1776.0
30.0				1105.0		1903.0
32.0				1179.0		2030.0
35.0				1289.0		2221.0
38.0				1400.0		2410.0
40.0				1473.0		2538.0
42.0						
45.0				1657.0		2854.0
50.0						3172.0
55.0				2026.0		3490.0
60.0				2210.0		3806.0

(mm)

(kg/枚)



ステンレス鋼板

SUS304

NO1仕上げ(熱間圧延ステンレス鋼板)

YOSHU 2016.10

板厚 印は切断可能品	寸法					
	1m×2m 1000×2000	1m×4m 1000×4000	4f×8f 1219×2438	5f×10f 1524×3048	5f×4m 1524×4000	2m×4m 2000×4000
65.0						4123.0
70.0				2578.0		4441.0
75.0						
80.0						
85.0						
90.0						
95.0						
100.0						
110.0						
120.0						
130.0						
140.0						
150.0						

(mm) (kg/枚)



ステンレス鋼板

SUS304 オウトクンプ製 ホットカットシート

NO1仕上げ(熱間圧延ステンレス鋼板)

YOSHU 2007.08

板厚 印は切断可能品	寸法		
	2m × 4m 2000 × 4000	2m × 4.01m 2000 × 4010	2m × 6.1m 2000 × 6100
4.0		254.0	
5.0		318.0	484.0
6.0		382.0	580.0
8.0	508.0		774.0
9.0	571.0		871.0
10.0	634.0		967.0
12.0	761.0		1161.0

メーカー オウトクンプ (mm)

(kg/枚)

この商品は、すべて切断不可です。